Civil Hospital, Raichur

473. Sri SADASHIVAPPA PATIL (Deodurg). —

Will the Minister for Health be pleased to state :—

(*a*) since when the X-Ray Plant and Oxygen Cylinders are not in working condition in Raichur Civil Hospital;

(*b*) the action taken by the concerned authoritis in the early commissioning of the plant ?

Sri Y. RAMAKRISHNA (Minister for Health).—

(*a*) The X-Ray Machine was out of order during 1968 and is under repairs.

The Oxygen cylinders are in working condition.

(*b*) Action is being taken to get the machine repaired and also to install the new machine of 200 M.A. capacity purchased recently.

Post and Telegraph Advisory Committee

482. Sri K. H. PATIL (Gadag).—

Will the Minister for Public Works be pleased to state :—

(*a*) whether the Government has instructed the Karnatak Chamber of Commerce to send the panel of names to be selected to the Post and Telegraph Advisory Committee to be constituted by the Central Government;

(*b*) if so, whether this is to avoid direct election through which the said Chamber was sending their representatives ever since British regime ?

Sri K. LAKKAPPA (Minister for Public Works).—

(*a*) Yes.

(*b*) No.

Aided Engineering Colleges

504. Sri H. B. JWALANAIAH (Hassan).—

Will the Minister for Education be pleased to state :—

(*a*) the number of Aided Engineering Colleges, where All India Council of Technical Education Scales of pay has been implemented;